

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5663526".pn. "5802711".pn.	US-PGPUB; USPAT	OR	ON	2005/04/15 10:02
S2	5	"823790".ap.	US-PGPUB; USPAT	OR	ON	2005/04/14 11:53
S3	2421	385/83,88,92.94.ccls. 398/22,139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 17:52
S4	173	S3 and (substrate near5 (electronic driver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 21:01
S5	166	S4 and (laser diode LED emitt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 21:01
S6	162	S5 and fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 17:54
S7	74	S6 and housing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 10:02
S8	2	"5005939".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 18:24
S9	96	S3 and (housing near5 (secur\$3 hold\$3 clamp\$3) near6 fiber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 20:11

S10	61	S6 and transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 20:10
S11	52	S4 and (substrate near5 (hole opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 20:12
S12	53428	(substrate near5 (electronic driver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 21:01
S13	18062	S12 and (laser diode LED emitt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 21:01
S14	3737	S13 and fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 21:02
S15	771	S14 and housing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 21:02
S17	190	S15 and (substrate near7 (opening hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 21:03
S18	113	S15 and transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 21:04

S19	24	S18 and (signal near5 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 21:04
S20	4043	transceiver and ((first and second) near3 (substrate platform base))	US-PGPUB; USPAT	OR	ON	2005/04/15 10:29
S23	87	S20 and ((flexible resilient) near4 (ribbon wir\$4))	US-PGPUB; USPAT	OR	ON	2005/04/15 10:30
S24	923	S20 and fiber	US-PGPUB; USPAT	OR	ON	2005/04/15 10:30
S25	764	S20 and housing	US-PGPUB; USPAT	OR	ON	2005/04/15 10:30
S26	1802	S20 and (wir\$3 ribbon)	US-PGPUB; USPAT	OR	ON	2005/04/15 10:31
S27	169	S24 and S25 and S26	US-PGPUB; USPAT	OR	ON	2005/04/15 11:37
S28	2	"6309113".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:28
S29	2	"6309113".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 18:48
S30	259	398/135.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/15 20:46
S31	73	S30 and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 20:46
S32	55	S31 and fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 20:54